

Best Available Copy

U.S. Patent Application Serial No. 10/009,337
Supplemental Reply to Office Action dated August 26, 2004

Amendments to the Claims:

This listing of claims will replace all prior versions and listing of claims in the application.

Claims 1-11 are amended.

Listing of Claims:

1. (Currently Amended) ~~Device~~ A device for a mode-locking laser, ~~in particular a laser of pulsed type,~~ comprising a resonant cavity,

- delimited by a first mirror and a second mirror,

- provided with an active laser gain medium arranged in the resonant cavity for amplifying a laser radiation beam at the fundamental frequency, and

- with a solid non-linear optical means which comprises at least said second mirror, for reversible conversion of the radiation at the fundamental frequency into radiation at a harmonic frequency, said non-linear optical means having a reflection coefficient which increases as the intensity of the radiation at the fundamental frequency increases,

said device further comprising a solid intensity limiter, arranged in the resonant cavity, whose transmission coefficient of the laser radiation passively decreases as the intensity of said radiation increases, wherein said intensity limiter comprises a GaAs, CdSe or InP plate.

U.S. Patent Application Serial No. 10/009,337
Supplemental Reply to Office Action dated August 26, 2004

2. (Currently Amended) ~~Device~~ The device according to claim 1, ~~characterized in that~~ wherein the non-linear optical means corresponds to a dichroic mirror and a non-linear crystal ~~able to convert that converts~~ the radiation at the fundamental frequency into radiation at a harmonic frequency.
3. (Currently Amended) ~~Device~~ The device according to claim 1, ~~characterized in that~~ wherein the non-linear optical means comprises said second mirror which corresponds to a dichroic mirror, a non-linear crystal ~~able to convert that converts~~ the radiation at the fundamental frequency into radiation at a harmonic frequency, and at least one component for polarization selection and/or modification.
4. (Currently Amended) ~~Device~~ The device according to Claim 2, ~~characterized in that~~ wherein said non-linear crystal is a BBO crystal.
5. (Currently Amended) ~~Device~~ The device according to one of claim 1, ~~characterized in that wherein~~ the non-linear optical means comprises only the second mirror, wherein said second mirror corresponds to a Fabry-Perot anti-resonant saturable absorber constructed from a superposition of dielectric or metallic semiconductor films.
6. (Currently Amended) ~~Device~~ The device according to Claim 1, ~~characterized in that~~ wherein the intensity limiter and the non-linear optical means are placed on either side of the active gain medium.
7. (Currently Amended) ~~Device~~ The device according to Claim 1, ~~characterized in that~~ wherein the intensity limiter is placed between the non-linear optical means and the active gain medium.
8. (Currently Amended) ~~Device~~ The device according to Claim 1, ~~characterized in that~~ wherein the active gain medium is an Nd:YAG crystal.

U.S. Patent Application Serial No. 10/009,337
 Supplemental Reply to Office Action dated August 26, 2004

9. (Currently Amended) ~~Device~~ The device according to Claim 1, ~~characterized in that~~ wherein the non-linear optical means has a reflection coefficient of the radiation at the second harmonic which is greater than the reflection coefficient of the radiation at the fundamental frequency.
10. (Currently Amended) ~~Device~~ A device for a mode-locking a laser, ~~in particular a laser of pulsed type,~~ comprising a resonant cavity,
- delimited by a first mirror and a second mirror,
 - provided with an active laser gain medium arranged in the resonant cavity for amplifying a laser radiation beam at the fundamental frequency, and
 - a solid non-linear optical means which comprises at least said second mirror, for reversible conversion of the radiation at the fundamental frequency into radiation at a harmonic frequency, said non-linear optical means having a reflection coefficient which increases as the intensity of the radiation at the fundamental frequency increases,
- ~~characterized in that~~ wherein said device is provided with an intensity limiter comprising a GaAs, CdSe or InP plate with a transmission coefficient which passively decreases as the intensity of the radiation at the fundamental frequency increases, so as to ensure, in combination with said non-linear optical means, both a positive feedback and a negative feedback on the quality factor of the resonant cavity.
11. (Currently Amended) ~~Process~~ A process for a mode-locking a laser, ~~in particular a laser of pulsed type, characterized in that it comprises~~ comprising:
- emitting a laser radiation beam at the fundamental frequency by stimulating an active laser medium,

U.S. Patent Application Serial No. 10/009,337
Supplemental Rcply to Office Action dated August 26, 2004

Best Available Copy

- converting the beam at the fundamental frequency into a beam at a harmonic frequency,
- returning the beam at the harmonic frequency to the resonant cavity,
- reconverting the beam at the harmonic frequency into a beam at the fundamental frequency, and
- passively limiting the intensity of the beam at the fundamental frequency inside the resonant cavity, by means of at least one GaAs, CdSe or InP plate.